

Important One Liner for All Agriculture Competitive Examination

Q) The phosphate solubilizer species of micro organisms is –
Pseudomonas

Q Downward cupping of leaves in Tobacco and Tea shows - **S deficiency**

Q) Wheat ranks **first** in the world among the cereals both in respect of **area and production**.

Q) In India wheat crop is the **second** most after rice so wheat is called as '**king of cereals**'.

Q) The word "**Cereals**" derived from a roman word '**Ceres**' which means the **Goddess of grain**.

Q) Wheat contains spongy protein i.e. **Gluten** (this is colloidal complex of gliadine and glutenin in equal amounts) which is essential for baking.

Q) **Perling index in wheat**: to determine the hardness of grain, a higher value of P.I. means lower **kernel hardness**.

Q) In wheat the permanent adventitious roots develops below the soil surface after the appearance of the first leaves is called **clonal roots**.

Q) Wheat inflorescence known as ear or spike and seed is **caryopsis**.

Q) **Mustard** is very common crop usually **intercropped** with wheat.

Q) Test weight of wheat grain is about **40g**. While test weight of phalaris minor is only **2g**.

Q) Gene responsible for dwarfness in wheat is **Norin-10** which is a Japanese variety isolated by Dr. Borlaug in 1960 at Mexico.

Q) In 1963 Lerma Rojo, Sonaro 63, Sonaro-64 and Mayo 64 were imported by then Minister of Agriculture, Shri C. Subramaniam and released for commercially cultivation in India (1965) these varieties were responsible for **green revolution** in India.

Q) Origin of wheat is **South West Asia** (turkey)

PDF is Downloaded From Agrilearner App, Download
Agrilearner App from Playstore for all Agriculture
Competitive Examination

Important One Liner for All Agriculture Competitive Examination

Q) Flowering portion of wheat is called **Spike**

Q) Macaroni wheat is known as **Triticum durum Emmer**

Q) wheat is known as: **T. diccocom**

Q) Suitable late sown variety of wheat **Lok-I, Raj -3765, Sonalika.**

Q) Spacing of row to row of wheat **22.5cm**

Q) Most critical stage for irrigation **CRI (21 DAS)**

Q) The highest productivity of wheat in **Punjab** due to nearly **100 % area** of wheat is under irrigated conditions and higher doses of fertilizer consumption

Q) **Gene** responsible for dwarfness in wheat is **Norin-10**

Q) Important mimicry weed of wheat is **Phalaris minor**

Q) Test weight of wheat seed **40gm**

Q) Triple gene dwarf varieties of wheat **Heera, Moti, Arjun**

Q) Central **zig zag** axis of wheat grain is called **Rachis**

Q) Fruit type of wheat is **Caryopsis**

PDF is Downloaded From Agrilearner App, Download
Agrilearner App from Playstore for all Agriculture
Competitive Examination

Daily Agriculture One liner By Agrilearner App

This Agriculture One liner PDF is shared by Agrilearner App team.

Download Agrilearner App for Agriculture Competitive Examination

This Important For IBPS AFO, NABARD, ICAR, BHU, RRB SO and All other agriculture competitive examination

